


CLASSIC PC

Start-up range of Electric Airless Paint Sprayers
for Professional Painting Contractors



PROFESSIONAL ADVANTAGES

- Ideal for small to medium family housing and light commercial projects
- Graco 'Big' technologies in a compact size
- Finish every job, every day thanks to ProConnect™ fast pump replacement system

Painter - Professional Airless Applications

CLASSIC 390 PC - CLASSIC S 395 PC - CLASSIC S 495 PC



CLASSIC PC

Best Value in small electric sprayers!

FINISH EVERY JOB, EVERY DAY

The next generation of **CLASSIC** sprayers have now been upgraded with ProConnect™. This fast and easy on-the-job pump replacement system, makes the most reliable small electric units even more valuable.

The **390 CLASSIC PC** with brush motor is a solid workhorse built for professionals just “starting out”. It’s the ideal sprayer for residential jobs.

Proven Endurance™ pump technology on all **CLASSIC** models, makes it perfect for professionals who frequently spray a wide range of interior coatings.

The **CLASSIC^S 395/495** are the best choice for professionals looking for superior performance, control and extra comfort for daily use on residential jobs.

The **CLASSIC^S** feature the FTX™-E gun, variable speed motor and SmartControl™ 1.0, with electronic control for a consistent spray pattern at every pressure.

All Hi-Boy **CLASSIC** models are configured with a multi-functional cart version, offering pneumatic wheels, direct suction, a kick back, hose wrap and a convenient toolbox as a premium.



Comfortable Carrying

Offset handle with rubber comfort grip balances sprayer away from leg



Features



Swivel Inlet Suction Hose

- All aluminium construction is durable, lightweight and rust proof
- No-tools removal of hose for cleaning or accessing inlet ball
- Easily swivels to reach paint buckets or cans



CLASSIC

Frame

- Stands upright so it won't tip paint can over
- Attached big cup holds the inlet during transport to catch drips

Variable Pressure Control

(only CLASSIC 390 models)
Position indicator allows repeatable setting while spraying light-to heavier materials



Materials & Applications

The **CLASSIC** has been tested and approved to spray a wide range of lacquers, acrylic, primers, enamels, varnishes and acrylic interior paints, out of the bucket.

The ideal unit for interior renovation of small residential and light commercial projects.



Watch our **application videos** at:
<http://www.contractorclub.com>



CLASSIC^S

Easy-Out™ Pump Filter

- Large filtering area reduces tip clogs and ensures a quality finish
- Inside out filter design filters won't collapse and cleans with only a few liters
- Vertical filter design removes simply with the cap, eliminates spill



SMARTCONTROL™

SmartControl™ 1.0

With variable speed control delivers consistent spray pressure.

Features



Semi-Pneumatic Wheels

- Roll easily over rough terrain

Hi-Boy Exclusive Features

- Thick chrome over steel to withstand rugged environments
- Retractable handle doubles as a hose wrap for simple removal of coiled hose
- Comfortable inlet suction allows direct suction out of up to 30 liter buckets
- TiltBack™ easily allows one man bucket change and on board toolbox




www.graco.com



GOOD TO KNOW

EXTEND YOUR REACH!



JetRoller™

The ideal renovation tool

Extend your sprayer with the JetRoller and minimize application time when combining rolling and spraying into one operation. Uses commonly available 18 or 25 cm roller covers.

Benefits:

- Reduces overspray
- Eliminates reaching
- Eliminates climbing and continually reaching up and down
- Complete large jobs in half the time of traditional methods

Kit includes a lightweight detachable roller frame, 50 cm extension, CleanShot™ Shut-Off™ valve, Inline™ gun, spray tip and guard.

Hopper

A convenient 5.7 liter hopper, compatible with all units



! TIP

With a spare pump ready, you'll always be able to finish your job!

Features



Exchange your pump easily **YOURSELF** in 3 steps in case any damage appears.

No more time wasted or money lost to labour charges on pump repairs.



1 Loosen the clamping nut



2 Open door and remove pump



3 Remove hose and suction tube

Fast Pump Replacement

- 1-minute job site replacement
- Keeps you spraying instead of waiting for service
- No pins or parts to lose!



CLASSIC PC Accessories

Get the most out of your equipment, using our professional accessories

Improve your spraying quality




FTX™-E Guns

- 288438 FTX™-E gun with RAC X™ 517 tip, RAC X guard and 2 filters
- 262116 FTX™-E gun with RAC X™, 60 mesh filter, no tip



Easy-Out™ Gun Filters

- 257129 30 mesh, grey
- 287032 60 mesh, black
- 287033 100 mesh, blue
- 257130 200 mesh, red



Easy-Out™ Pump Filters

- 246425 30 mesh, grey
- 246384 60 mesh, black (= standard)
- 246382 100 mesh, blue
- 246383 200 mesh, red



BlueMax™ II Hoses

- 214698 3/16" x 7.5 m
- 240794 1/4" x 15 m
- 241272 1/4" x 20 m
- 223771 1/4" x 30 m



Hose Connectors

- 156971 1/4" x 1/4"
- 157350 1/4" x 3/8"



Whips (230 bar)

- 238358 3/16" x 0.9 m
- 238359 3/16" x 1.8 m
- 238959 3/16" x 1.4 m



Blister Pack - ProConnect Pump Lower

- 17C489 Blister Pack, fits all Classic PC



ProGuard™+

- 24W090 230V, CEE 7/7, shuko
- 24W755 230V, IEC320, multicord



JetRoller™ System 0.5 m Heavy Duty Extension with Inline™ Gun

- | | | | | |
|--------|--------------------------|---------------------|--------|--------------|
| 24V490 | roller 18 cm | without Inline™ Gun | 24V492 | roller 18 cm |
| 24V491 | roller 25 cm | | 24V493 | roller 25 cm |
| 232123 | 1 m Heavy Duty extension | | | |



Hopper

- 288526 5.7 liter / stand version
- 24B250 5.7 liter / hi-boy version



RAC X Tip Extensions

- | | | | |
|--------|-------|--------|-------|
| 287019 | 25 cm | 287021 | 50 cm |
| 287020 | 40 cm | 287022 | 75 cm |



CleanShot™ RAC X™ Pole Gun

- 287026 90 cm
- 287027 180 cm



Rollers Exterior (complete)

- 6880095 30 cm fixed
- 098084 90-180 cm telescopic
- 098085 45-90 cm telescopic



Roller Kit

- 245397 Fixed interior roller 50 cm - EvenFlow™ head
23 cm - Cover 12 mm - InLine™ gun



Tips & Guards

- FFAXXX Green RAC X fine finish tip
- PAAXXX Blue RAC X professional airless tip
- WA12XX RAC X WideRac, for big surfaces
- 246215 RAC X guard



Liquids

- 206994 TSL™ 0.25 l
- 253574 Pump Armor™ 1 l

Specifications

ALL UNITS SHIP complete and ready to spray with: FTX™-E 4-finger gun, filters (gun + manifold), 240794 BlueMax™ II hose 1/4" x 15m, RAC X™ (PAA517) tip and guard.

Part Numbers: for EURO version (230 V)
for Multicord version (230 V)
for UK (110 V)

	CLASSIC 390 PC Stand	CLASSIC 390 PC Hi-Boy	CLASSIC S 395 PC Stand	CLASSIC S 495 PC Hi-Boy
Max. Working Pressure - bar (PSI)	227 (3300)	227 (3300)	227 (3300)	227 (3300)
Max. Fluid Flow - l/min. (gpm)	1.8 (0.47)	1.8 (0.47)	2.0 (0.54)	2.3 (0.60)
Max. Tip Size - 1 gun	0.021"	0.021"	0.023"	0.025"
Weight - kg (lbs)	14 (30)	14 (30)	19 (42)	33 (73)
Motor Rating - HP	5/8 DC	5/8 DC	7/8 TEFC DC	1.0 TEFC DC
Minimum Generator Requirement - W	4000	4000	4000	4000
Features: TiltBack™ / Bucket Hook	-	✓ / ✓	-	✓ / ✓
Toolbox / Hose Wrap	- / -	✓ / ✓	- / -	✓ / ✓
SmartControl™ version	-	-	1.0	1.0