

# GRINDLAZER SURFACE PREPARATION SYSTEMS

[www.mtsolutionkenya.com](http://www.mtsolutionkenya.com) Email: [info@mtsolutionkenya.com](mailto:info@mtsolutionkenya.com)



## POWERFUL SOLUTIONS FOR EVERY SCARIFIER APPLICATION

### **HANDHELD** **SERIES**



#### HANDHELD SERIES

Ideal for touch up, edging, walls, curbs, and areas that are hard to reach.

### **STANDARD** **SERIES**



#### STANDARD SERIES

Compact drum cutter models for basic surface prep, repairs, and line removal.

### **PROFESSIONAL** **SERIES**



#### PROFESSIONAL SERIES

Heavy-duty drum cutter models for all surface prep, repairs, and line removal needs.

### **HIGH PRODUCTION** **SERIES**



#### HIGH PRODUCTION SERIES

Ideal for high-production applications including surface prep, line removal, leveling, and inlay.

[www.mtsolutionkenya.com](http://www.mtsolutionkenya.com) Email: [info@mtsolutionkenya.com](mailto:info@mtsolutionkenya.com)

**Maschine  
Technique  
Solution**

**GRACO**  
AUTHORISED DISTRIBUTOR

# HANDHELD SERIES

TYPICAL APPLICATIONS: TOUCH UPS, EDGE WORK, AND WALLS



GrindLazer DC21 E

GrindLazer RC71 E

HANDHELD SERIES	DC21 E	RC71 E
Part Number	25M841	25M848
Cutter Type	Drum	Rotary
Max Working Width	2 in	7 in
Cutter Drum Diameter	4 in	NA
Motor	110V Makita	110V Makita
Max Cut Rate	100 sq ft/hr	100 sq ft/hr
Vacuum Port	Yes	Yes

[www.mtsolutionkenya.com](http://www.mtsolutionkenya.com) Email: [info@mtsolutionkenya.com](mailto:info@mtsolutionkenya.com)



# STANDARD SERIES

**TYPICAL APPLICATIONS: TRAFFIC PAINT REMOVAL, THERMOPLASTIC REMOVAL, AND SMOOTHING UNEVEN SURFACES**



GrindLazer DC87 G



GrindLazer DC89 G

STANDARD SERIES	DC87 G	DC89 G
Part Number	25M842	25M843
Cutter Type	Drum	Drum
Max Working Width	8 in	8 in
Drum Diameter	5 in	5 in
Engine/Motor	6.5 HP Honda	9 HP Honda
Engine Start	Pull Start	Pull Start
Air Filter	Standard	Cyclone
Tach/Hour Meter	Yes	Yes
Max Cut Rate	300 sq ft/hr	400 sq ft/hr
Vacuum Port	Yes	Yes
Water Connection	Yes	Yes

[www.mtsolutionkenya.com](http://www.mtsolutionkenya.com) Email: [info@mtsolutionkenya.com](mailto:info@mtsolutionkenya.com)



# PROFESSIONAL SERIES

**TYPICAL APPLICATIONS: TRAFFIC PAINT REMOVAL, THERMOPLASTIC REMOVAL, SMOOTHING UNEVEN SURFACES, AND EPOXY REMOVAL**



GrindLazer Pro DC1013 G



GrindLazer Pro DC1013 G DCS



GrindLazer Pro RC813 G



GrindLazer Pro RC813 G DCS

PRO SERIES	DC1013 G	DC1013 G DCS	RC813 G	RC813 G DCS
Part Number	25M846	25N668	25M847	25N669
Cutter Type	Drum	Drum	Rotary	Rotary
Max Working Width	10 in	10 in	8 in	8 in
Drum Diameter	7 in	7 in	NA	NA
Engine/Motor	13 HP Honda	13 HP Honda	13 HP Honda	13 HP Honda
Engine Start	Pull Start	Electric Start	Electric Start	Electric Start
Air Filter	Cyclone	Cyclone	Standard	Standard
Tach/Hour Meter	Yes	Yes	Yes	Yes
Max Cut Rate	700 sq ft/hr	700 sq ft/hr	800 sq ft/hr	800 sq ft/hr
LineDriver Compatible	No	No	No	No
Vacuum Port	Yes	Yes	Yes	Yes
Water Connection	Optional	Optional	No	No
Depth Control System	No	Yes	No	Yes

[www.mtsolutionkenya.com](http://www.mtsolutionkenya.com) Email: [info@mtsolutionkenya.com](mailto:info@mtsolutionkenya.com)



# HIGH PRODUCTION SERIES

## WALK/RIDE BEHIND SYSTEMS

TYPICAL APPLICATIONS: HIGH PRODUCTION REMOVAL JOBS INCLUDING LEVELING, INLAY, AND ALL SURFACE COATINGS



GrindLazer HP DC89 G



GrindLazer HP DC1013 G



GrindLazer HP DC1013 G DCS



GrindLazer HP DC1021 G



GrindLazer HP DC1021 G DCS

[www.mtsolutionkenya.com](http://www.mtsolutionkenya.com) Email: [info@mtsolutionkenya.com](mailto:info@mtsolutionkenya.com)

**Maschine  
Technique  
Solution**

**GRACO**  
AUTHORISED DISTRIBUTOR

<b>HIGH PRODUCTION</b>	<b>HP DC89 G</b>	<b>HP DC1013 G</b>	<b>HP DC1013 G DCS</b>	<b>HP DC1021 G</b>	<b>HP DC1021 G DCS</b>
Part Number	25M992	25M993	25N658	25M994	25N659
Cutter Type	Drum	Drum	Drum	Drum, Reverse Cut	Drum, Reverse Cut
Max Working Width	8 in	10 in	10 in	10 in	10 in
Cutter Drum Diameter	7 in	7 in	7 in	7 in	7 in
Engine	9 HP Honda	13 HP Honda	13 HP Honda	21 HP Vanguard	21 HP Vanguard
Engine Start	ProStart	ProStart	Electric Start	Electric Start	Electric Start
Air Filter	Cyclone	Cyclone	Cyclone	Donaldson Heavy-Duty	Donaldson Heavy-Duty
Tach/Hour Meter	Yes	Yes	Yes	Yes	Yes
Max Cut Rate	600 sq ft/hr	800 sq ft/hr	800 sq ft/hr	NA	NA
LineDriver Compatible	Optional	Optional	Optional	Required	Required
Max Cut Rate w/ LineDriver	1,300 sq ft/hr	1,700 sq ft/hr	1,700 sq ft/hr	2,100 sq ft/hr	2,100 sq ft/hr
Vacuum Port	Yes	Yes	Yes	Yes	Yes
Water Connection	Optional	Optional	Optional	Optional	Optional
Depth Control System	No	No	Yes	No	Yes

[www.mtsolutionkenya.com](http://www.mtsolutionkenya.com) Email: [info@mtsolutionkenya.com](mailto:info@mtsolutionkenya.com)



## SELF-PROPELLED SYSTEMS



GrindLazer HP DC1538 G DCS, Low-Speed Pulley Kit

GrindLazer HP DC1538 G DCS, High-Speed Pulley Kit



GrindLazer HP DC1525 P DCS, Low-Speed Pulley Kit

GrindLazer HP DC1525 P DCS, High-Speed Pulley Kit



GrindLazer HP DC1520 E DCS, Low-Speed Pulley Kit

GrindLazer HP DC1520 E DCS, High-Speed Pulley Kit

HIGH PRODUCTION	HP DC1538 G DCS	HP DC1525 P DCS	HP DC1520 E DCS
Part Number with Low-Speed Pulley Kit	25R100	25R101	25R102
Part Number with High-Speed Pulley Kit	25P474	25P475	25P476
Cutter Type	Drum	Drum	Rotary
Max Working Width	16 in	16 in	16 in
Cutter Drum Diameter	10 in	10 in	10 in
Tach/Hour Meter	Yes	Yes	Yes
Motor/Engine	38 HP Kohler EFI Gas	25 HP Kohler EFI Propane	20 HP, 480V, 3ph
Engine Start	Electric Start	Electric Start	NA
Air Filter	Heavy-Duty	Heavy-Duty	NA
Electronic Depth Control System	Yes	Yes	Yes
Max Cut Rate	3,500 sq ft/hr	3,500 sq ft/hr	3,500 sq ft/hr
Vacuum Ports	2	2	2

[www.mtsolutionkenya.com](http://www.mtsolutionkenya.com) Email: [info@mtsolutionkenya.com](mailto:info@mtsolutionkenya.com)





## SKID LOADER ATTACHMENTS



GrindLazer HP RC820 H



GrindLazer HP RC1640 H



GrindLazer HP RC1625 G

HIGH PRODUCTION	HP RC820 H	HP RC1640 H	HP RC1625 G
Part Number	25P471	25P472	25P473
Cutter Type	Rotary	Rotary	Rotary
Max Working Width	8 in	16 in	16 in
Tach/Hour Meter	Yes	Yes	Yes
Motor/Engine	20 HP Hydraulic	40 HP Hydraulic	25 HP Kohler Gas
Engine Start	NA	NA	Electric Start
Air Filter	NA	NA	Standard
Universal Skid Loader Connection	Yes	Yes	Yes
Max Cut Rate	1,000 sq ft/hr	2,400 sq ft/hr	2,400 sq ft/hr
Vacuum Port	Yes	Yes	Yes

[www.mtsolutionkenya.com](http://www.mtsolutionkenya.com) Email: [info@mtsolutionkenya.com](mailto:info@mtsolutionkenya.com)



# LAZERVACS

POWERFUL VACUUMS TO ADD TO YOUR GRINDERS, SCARIFIERS, LINE REMOVERS, OR SAWS



LazerVac 230



LazerVac 330



LazerVac 550

[www.mtsolutionkenya.com](http://www.mtsolutionkenya.com) Email: [info@mtsolutionkenya.com](mailto:info@mtsolutionkenya.com)



# CYCLONE SEPARATORS

ADD TO A LAZERVAC FOR INCREASED CAPACITY



Cyclone 20



Cyclone 32

[www.mtsolutionkenya.com](http://www.mtsolutionkenya.com) Email: [info@mtsolutionkenya.com](mailto:info@mtsolutionkenya.com)

**Maschine  
Technique  
Solution**

**GRACO**  
AUTHORISED DISTRIBUTOR